
















WEATHERSTRIPS

*** NORMALLY STOCKED**

















EXTRUSIONS SHOWN ACTUAL SIZE WHEN PRINTED AT SIZE A4

<p>Glass 3mm Panel 0.8 - 1.6mm Clearance between glass and panel 6mm</p>  <p>Minimum bend radius 30mm DE 0768 W/S *</p>	<p>Glass 2mm Panel 4mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 76mm DE 1732EP W/S *</p>	<p>Glass 3mm Panel 3mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm DE 1295 W/S *</p>	<p>Glass 3mm Panel 5mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 76mm DE 1730EP W/S *</p>
<p>Glass 3mm Panel 10mm Clearance between glass and panel 10mm</p>  <p>Minimum bend radius 126mm DE 1692 W/S *</p>	<p>Glass 3mm Panel 15mm Clearance between glass and panel 5mm</p>  <p>Minimum bend radius 76mm DE 1770EP W/S *</p>	<p>Glass 4.75mm Panel 0.8 - 1.2mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 76mm DE 0776 W/S *</p>	<p>Glass 4.75mm Panel 0.8 - 1.6mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 58mm DE 0634 W/S *</p>
<p>Glass 4.75mm Panel 1.2 - 1.6mm Clearance between glass and panel 6mm</p>  <p>Minimum bend radius 32mm DE 0772 W/S *</p>	<p>Glass 4.75mm Panel 3mm Clearance between glass and panel 9mm</p>  <p>Minimum bend radius 102mm DE 1251 W/S *</p>	<p>Glass 4.75mm Panel 2.6 - 3.25mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm DE 0736 W/S *</p>	<p>Glass 4.75mm Panel 4.75mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 102mm DE 0773 W/S *</p>
<p>Glass 4.75mm Panel 4.75mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 1095 W/S *</p>	<p>Glass 4.75mm Panel 6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 1204 W/S *</p>	<p>Glass 4.75 - 6mm Panel 1.2 - 1.6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 0747 W/S *</p>	<p>Glass 4.75 - 6mm Panel 3.1 - 3.5mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 0769 W/S *</p>

WEATHERSTRIPS

*** NORMALLY STOCKED**

EXTRUSIONS SHOWN ACTUAL SIZE WHEN PRINTED AT SIZE A4

<p>Glass 6mm Panel 1.2 - 1.6mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm DE 0767 W/S *</p>	<p>Glass 6mm Panel 2.4 - 3.6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 128mm DE 1195 W/S *</p>	<p>Glass 6mm Panel 2.4 - 3.6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 0770 W/S *</p>	<p>Glass 6mm Panel 2.6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 2000 W/S *</p>
<p>Glass 6mm Panel 3mm Clearance between glass and panel 9mm</p>  <p>Minimum bend radius 152mm DE 1651 W/S *</p>	<p>Glass 6mm Panel 3mm Clearance between glass and panel 9mm</p>  <p>Minimum bend radius 152mm DE 1655 W/S *</p>	<p>Glass 6mm Panel 4mm Clearance between glass and panel 10mm</p>  <p>Minimum bend radius 102mm DE 1211 W/S *</p>	<p>Glass 6mm Panel 6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 1186 W/S *</p>
<p>Glass 6mm Panel 6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 1686 W/S *</p>	<p>Glass 6mm Panel 9.5mm Clearance between glass and panel 12mm</p>  <p>Minimum bend radius 102mm DE 1196 W/S *</p>	<p>Glass 6mm Panel 12.5mm Clearance between glass and panel 10mm</p>  <p>Minimum bend radius 160mm DE 1252 W/S *</p>	<p>Glass 4.75mm Panel 1.6mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 114mm DE 1100 W/S *</p>
<p>Glass 4.75mm Panel 1.6mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 75mm DE 1669 W/S *</p>	<p>Glass 4.75mm Panel 3mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 1289 W/S *</p>	<p>Glass 7mm Panel 1.6mm Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm DE 1724 W/S *</p>	<p>Glass 3mm Panel 1.6mm Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm DE 1726 W/S *</p>

WEATHERSTRIPS


*** NORMALLY STOCKED**

EXTRUSIONS SHOWN ACTUAL SIZE WHEN PRINTED AT SIZE A4

Glass 4mm
Panel 50mm

ITEM REF NO. DE 1681 W/S
NO LONGER MANUFACTURED
PLEASE CONTACT DELTA
RUBBER FOR AN ALTERNATIVE


Glass 6mm
Panel 50mm



DE 1681 W/S

DE 1653 W/S *

Glass 7mm
Panel 38mm




Glass 4mm
Panel 38mm




DE 1256 W/S *


DE 1671 W/S *



SF1B *



LF1B *



GP 241 OS *

Filler strips as LF1B are available for Weatherstrips in Black Rubber, Black PVC/Nitrile, White PVC, Red PVC, Aluminium PVC and Silver Chrome PVC.
SF1B and GP 241 OS are only available in Black.

(DE 0768 W/S and DE 0772 W/S take SF1B filler which is in Black only.)