

















# WEATHERSTRIPS

**\* NORMALLY STOCKED**

















EXTRUSIONS SHOWN ACTUAL SIZE WHEN PRINTED AT SIZE A4

|                                                                                                                                                                                                                           |                                                                                                                                                                                                                    |                                                                                                                                                                                                                                 |                                                                                                                                                                                                                                  |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Glass 3mm<br/>Panel 0.8 - 1.6mm<br/>Clearance between glass and panel 6mm</p>  <p>Minimum bend radius 30mm<br/>DE 0768 W/S *</p>      | <p>Glass 2mm<br/>Panel 4mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 76mm<br/>DE 1732EP W/S *</p>     | <p>Glass 3mm<br/>Panel 3mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm<br/>DE 1295 W/S *</p>                   | <p>Glass 3mm<br/>Panel 5mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 76mm<br/>DE 1730EP W/S *</p>                 |
| <p>Glass 3mm<br/>Panel 10mm<br/>Clearance between glass and panel 10mm</p>  <p>Minimum bend radius 126mm<br/>DE 1692 W/S *</p>           | <p>Glass 3mm<br/>Panel 15mm<br/>Clearance between glass and panel 5mm</p>  <p>Minimum bend radius 76mm<br/>DE 1770EP W/S *</p>   | <p>Glass 4.75mm<br/>Panel 0.8 - 1.2mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 76mm<br/>DE 0776 W/S *</p>        | <p>Glass 4.75mm<br/>Panel 0.8 - 1.6mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 58mm<br/>DE 0634 W/S *</p>        |
| <p>Glass 4.75mm<br/>Panel 1.2 - 1.6mm<br/>Clearance between glass and panel 6mm</p>  <p>Minimum bend radius 32mm<br/>DE 0772 W/S *</p> | <p>Glass 4.75mm<br/>Panel 3mm<br/>Clearance between glass and panel 9mm</p>  <p>Minimum bend radius 102mm<br/>DE 1251 W/S *</p> | <p>Glass 4.75mm<br/>Panel 2.6 - 3.25mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm<br/>DE 0736 W/S *</p>     | <p>Glass 4.75mm<br/>Panel 4.75mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 102mm<br/>DE 0773 W/S *</p>          |
| <p>Glass 4.75mm<br/>Panel 4.75mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 1095 W/S *</p>     | <p>Glass 4.75mm<br/>Panel 6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 1204 W/S *</p> | <p>Glass 4.75 - 6mm<br/>Panel 1.2 - 1.6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 0747 W/S *</p> | <p>Glass 4.75 - 6mm<br/>Panel 3.1 - 3.5mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 0769 W/S *</p> |

# WEATHERSTRIPS

**\* NORMALLY STOCKED**

EXTRUSIONS SHOWN ACTUAL SIZE WHEN PRINTED AT SIZE A4

|                                                                                                                                                                                                                      |                                                                                                                                                                                                                       |                                                                                                                                                                                                                        |                                                                                                                                                                                                                        |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <p>Glass 6mm<br/>Panel 1.2 - 3.5mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm<br/>DE 0767 W/S *</p> | <p>Glass 6mm<br/>Panel 2.4 - 3.6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 128mm<br/>DE 1195 W/S *</p> | <p>Glass 6mm<br/>Panel 2.4 - 3.6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 0770 W/S *</p> | <p>Glass 6mm<br/>Panel 2.6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 2000 W/S *</p>      |
| <p>Glass 6mm<br/>Panel 3mm<br/>Clearance between glass and panel 9mm</p>  <p>Minimum bend radius 152mm<br/>DE 1651 W/S *</p>       | <p>Glass 6mm<br/>Panel 3mm<br/>Clearance between glass and panel 9mm</p>  <p>Minimum bend radius 152mm<br/>DE 1655 W/S *</p>        | <p>Glass 6mm<br/>Panel 4mm<br/>Clearance between glass and panel 10mm</p>  <p>Minimum bend radius 102mm<br/>DE 1211 W/S *</p>       | <p>Glass 6mm<br/>Panel 6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 1186 W/S *</p>       |
| <p>Glass 6mm<br/>Panel 6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 1686 W/S *</p>      | <p>Glass 6mm<br/>Panel 9.5mm<br/>Clearance between glass and panel 12mm</p>  <p>Minimum bend radius 102mm<br/>DE 1196 W/S *</p>    | <p>Glass 6mm<br/>Panel 12.5mm<br/>Clearance between glass and panel 10mm</p>  <p>Minimum bend radius 160mm<br/>DE 1252 W/S *</p>   | <p>Glass 4.75mm<br/>Panel 1.6mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 114mm<br/>DE 1100 W/S *</p> |
| <p>Glass 4.75mm<br/>Panel 1.6mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 75mm<br/>DE 1669 W/S *</p>  | <p>Glass 4.75mm<br/>Panel 3mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 1289 W/S *</p>    | <p>Glass 7mm<br/>Panel 1.6mm<br/>Clearance between glass and panel 8mm</p>  <p>Minimum bend radius 102mm<br/>DE 1724 W/S *</p>     | <p>Glass 3mm<br/>Panel 1.6mm<br/>Clearance between glass and panel 7mm</p>  <p>Minimum bend radius 64mm<br/>DE 1726 W/S *</p>     |

# WEATHERSTRIPS


**\* NORMALLY STOCKED**

EXTRUSIONS SHOWN ACTUAL SIZE WHEN PRINTED AT SIZE A4

Glass 4mm  
Panel 50mm

ITEM REF NO. DE 1681 W/S  
NO LONGER MANUFACTURED  
PLEASE CONTACT DELTA  
RUBBER FOR AN ALTERNATIVE

Glass 6mm  
Panel 50mm



DE 1681 W/S

DE 1653 W/S \*

Glass 7mm  
Panel 38mm



Glass 4mm  
Panel 38mm



DE 1256 W/S \*

DE 1671 W/S \*



SF1B \*



LF1B \*



GP 241 OS \*

Filler strips as LF1B are available for Weatherstrips in Black Rubber, Black PVC/Nitrile, White PVC, Red PVC, Aluminium PVC and Silver Chrome PVC.  
SF1B and GP 241 OS are only available in Black.

(DE 0768 W/S and DE 0772 W/S take SF1B filler which is in Black only.)